



ZEEV

L I G H T I N G

VOLUME X



INDEX

ODRAZ	5
MAMADIM	9
ANGELUS	13
COLINA	16
ARCUS.....	18
BLOSSOM.....	19

ODRAZ PG 5



PENDANT
P.5



CHANDELIER
P.6



VANITY
P.7

MAMADIM PG 9



LINEAR PENDANT
P.9



EXTERIOR PENDANT
P.10



EXTERIOR WALL
P.11



POST MOUNT / BOLLARD
P.11



LAMP
P.12

ANGELUS PG 13



CHANDELIER
P.13



LINEAR PENDANT
P.14



VANITY
P.15

COLINA PG 16



CHANDELIER
P.16



LINEAR PENDANT
P.16



EXTERIOR WALL
P.17

ARCUS PG 18



CHANDELIER
P.18



CHANDELIER
P.18

BLOSSOM PG 19



PENDANT
P.19



PENDANT
P.19




CHANDELIER
P.19



P11802/LED-24/PN
Convertible Flush
Mount

COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
 PN - Polished Nickel
 SBB - Satin Brushed Black



P11801/LED-24/AGB
 P11802/LED-24/PN
 P11803/LED-24/SBB

WATTAGE 30W
VOLTAGE 120V
LUMENS 3,000 lm


Integrated LED, Replaceable Boards
 Dimmable with ELV or TRIAC Dimmer (Not Included)

ODRAZ

Stunning pendants, chandeliers and vanity lights with pearly infused nebulas within each crafted crystal. All pendants and chandeliers are flush mountable and equipped with 45" of suspension stems, 144" wire and inside mirrors echoing the crystals with a dramatic sequel.



*Convertible Flush Mount



COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
 PN - Polished Nickel
 SBB - Satin Brushed Black

WATTAGE 38W
VOLTAGE 120V
LUMENS 3,800 lm


CD11804/LED-32/AGB
 CD11805/LED-32/PN
 CD11806/LED-32/SBB

CD11807/LED-44/AGB
 CD11808/LED-44/PN
 CD11809/LED-44/SBB

CD11810/LED-T2-44/AGB
 CD11811/LED-T2-44/PN
 CD11812/LED-T2-44/SBB

45W
 120V
 4,500 lm

83W
 120V
 8,300 lm



VL11813/LED-26/AGB
 VL11814/LED-26/PN
 VL11815/LED-26/SBB

WATTAGE 23W
VOLTAGE 120V
LUMENS 2,300 lm

VL11816/LED-38/AGB
 VL11817/LED-38/PN
 VL11818/LED-38/SBB

32W
 120V
 3,200 lm

VL11819/LED-45/AGB
 VL11820/LED-45/PN
 VL11821/LED-45/SBB

38W
 120V
 3,800 lm



PL11355/LED-7/2x2/SBB




PL11356/LED-12/2x2/AGB



MAMADIM

Stunning new large scale linear pendants and desk lamps with our hand formed and polished heavy gauge crystals with deep edges and slants for each side being unique.

Linears equipped with 2x2 crystals, 45" of suspension stems and 144" of wire. Lamps available with 2x2 and 3x3 crystal.




PL11353/LED-7/2x2/AGB	PL11356/LED-12/2x2/AGB
PL11354/LED-7/2x2/PN	PL11357/LED-12/2x2/PN
PL11355/LED-7/2x2/SBB	PL11358/LED-12/2x2/SBB

WATTAGE	49W	84W
VOLTAGE	120V	120V
LUMENS	4,900 lm	8,400 lm



EP11371/LED-1/SBB+AGB



EP11359/LED-1/2x2/AGB
EP11360/LED-1/2x2/PN
EP11361/LED-1/2x2/SBB
EP11371/LED-1/2x2/SBB+AGB
EP11372/LED-1/2x2/MW+AGB

WATTAGE 7W
VOLTAGE 120V
LUMENS 700 lm


COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
PN - Polished Nickel
SBB - Satin Brushed Black
SBB + AGB - Satin Brushed Black + Aged Brass
MW + AGB - Matte White + Aged Brass



EW11363/LED-4/2x2/SBB
3-Way Light Switch




EBP11364/LED-2/2x2/SBB
3-Way Light Switch
Mount as Bollard or Post Mount




WATTAGE 20W
VOLTAGE 12V
LUMENS 2,000 lm

EP11362/LED-2/2x2/SBB

20W
12V
2,000 lm



EBP11364/LED-2/2x2/SBB



40W
12V
4,000 lm

EW11363/LED-4/2x2/SBB



EP11362/LED-2/2x2/SBB
3-Way Light Switch



COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
PN - Polished Nickel
SBB - Satin Brushed Black



DL11365/LED-1/2x2/AGB



DL11370/LED-1/3x3/SBB



DL11365/LED-1/2x2/AGB DL11368/LED-1/3x3/AGB
DL11366/LED-1/2x2/PN DL11369/LED-1/3x3/PN
DL11367/LED-1/2x2/SBB DL11370/LED-1/3x3/SBB

WATTAGE 7W
VOLTAGE 120V
LUMENS 700 lm

10W
120V
1,000 lm


*Touch Dimming Button

ANGELUS

Inimitable crystal hand formed and polished, with every turn of the crystal being unique. Two new linear pendant sizes, new 6-tiered triangular framed chandelier and bathroom vanities. Linear and chandelier equipped with 45" of suspension stems and 144" of wire.



CD11425/LED-7/AGB



CD11425/LED-7/AGB
CD11426/LED-7/PN
CD11427/LED-7/SBB


WATTAGE 44W
VOLTAGE 12V
LUMENS 4,400 lm

ANGELUS

ANGELUS

Inimitable crystal hand formed and polished, with every turn of the crystal being unique. Two new linear pendant sizes, new 6-tiered triangular framed chandelier and bathroom vanities. Linear and chandelier equipped with 45" of suspension stems and 144" of wire.


PL11420/LED-8/PN
Adjustable Pivoting Crystals



PL11424/LED-12/SBB
Adjustable Pivoting Crystals




PL11413/LED-10/AGB
Adjustable Pivoting Crystals




PL11419/LED-8/AGB
PL11420/LED-8/PN
PL11421/LED-8/SBB

WATTAGE 48W
VOLTAGE 12V
LUMENS 4,800 lm



PL11413/LED-10/AGB
PL11414/LED-10/PN
PL11415/LED-10/SBB

WATTAGE 70W
VOLTAGE 12V
LUMENS 7,000 lm



PL11422/LED-12/AGB
PL11423/LED-12/PN
PL11424/LED-12/SBB


WATTAGE 84W
VOLTAGE 12V
LUMENS 8,400 lm

COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
PN - Polished Nickel
SBB - Satin Brushed Black

VL11437/LED-5/AGB




VL11436/LED-4/SBB



VL11432/LED-3/PN




VL11428/LED-1/AGB




VL11428/LED-1/AGB
VL11429/LED-1/PN
VL11430/LED-1/SBB

WATTAGE 7W
VOLTAGE 12V
LUMENS 700 lm




VL11431/LED-3/AGB
VL11432/LED-3/PN
VL11433/LED-3/SBB

WATTAGE 21W
VOLTAGE 12V
LUMENS 2,100 lm



VL11434/LED-4/AGB
VL11435/LED-4/PN
VL11436/LED-4/SBB

WATTAGE 28W
VOLTAGE 12V
LUMENS 2,800 lm



VL11437/LED-5/AGB
VL11438/LED-5/PN
VL11439/LED-5/SBB


WATTAGE 35W
VOLTAGE 12V
LUMENS 3,500 lm

COLINA

Architecural inspired designed pendants and outdoor wall sconces with matchless metal ridges providing uncommon enticing shapes. Pendants are up and down lite and equipped with 45" suspension stems and 144" of wire.



PL11907/LED-60/SB
Up and Downward Light




PL11901/LED-48/AGB
Up and Downward Light




P11911/LED-30/SB
Up and Downward Light

COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
MW - Matte White
PN - Polished Nickel
SB - Satin Black




PL11901/LED-48/AGB
PL11902/LED-48/MW
PL11903/LED-48/SB
PL11904/LED-48/PN

WATTAGE 90W
VOLTAGE 12V
LUMENS 9,000 lm



PL11905/LED-60/AGB
PL11906/LED-60/MW
PL11907/LED-60/SB
PL11908/LED-60/PN

110W
12V
11,000 lm



P11909/LED-30/AGB
P11910/LED-30/MW
P11911/LED-30/SB
P11912/LED-30/PN

65W
12V
6,500 lm

EW11939/LED-72/SB



EW11935/LED-46/SB



EW11929/LED-38/AGB



EW11928/LED-30/PN




EW11922/LED-24/MW



EW11920/LED-18/PN




EW11915/LED-6/SB




EW11913/LED-6/AGB
EW11914/LED-6/MW
EW11915/LED-6/SB
EW11916/LED-6/PN

WATTAGE 12W
VOLTAGE 12V
LUMENS 1,200 lm




EW11917/LED-18/AGB
EW11918/LED-18/MW
EW11919/LED-18/SB
EW11920/LED-18/PN

22W
12V
2,200 lm




EW11921/LED-24/AGB
EW11922/LED-24/MW
EW11923/LED-24/SB
EW11924/LED-24/PN

30W
12V
3,000 lm




EW11925/LED-30/AGB
EW11926/LED-30/MW
EW11927/LED-30/SB
EW11928/LED-30/PN

WATTAGE 38W
VOLTAGE 12V
LUMENS 3,800 lm




EW11929/LED-38/AGB
EW11930/LED-38/MW
EW11931/LED-38/SB
EW11932/LED-38/PN

45W
12V
4,500 lm



EW11933/LED-46/AGB
EW11934/LED-46/MW
EW11935/LED-46/SB
EW11936/LED-46/PN

52W
12V
5,200 lm



EW11937/LED-72/AGB
EW11938/LED-72/MW
EW11939/LED-72/SB
EW11940/LED-72/PN

90W
12V
9,000 lm


COLOR TEMP 3CCT - 3000K, 3500K, 4000K
CRI (Ra) ≥90
DIMMING 100%-10%
RATED LIFE 50,000 Hrs
FINISHES AGB - Aged Brass
PN - Polished Nickel
SBB - Satin Brushed Black
TMBK - Textured Matte Black



CD11622/LED-3/32/AGB




CD11608/LED-3/25/TMBK



CD11622/LED-3/32/AGB
CD11623/LED-3/32/PN
CD11624/LED-3/32/SBB
CD11621/LED-3/32/TMBK

WATTAGE 100W
VOLTAGE 120V
LUMENS 10,000 lm



CD11605/LED-3/25/AGB
CD11606/LED-3/25/PN
CD11607/LED-3/25/SBB
CD11608/LED-3/25/TMBK


70W
120V
7,000 lm



CD10035/9/MBK+MW




P30086/6/BB+MW




P30086/6/BB+MW
P30116/6/MBK+AGB
P30115/6/MBK+MW
P30085/6/S+MW

LAMPING G9 Bi-Pin, LED
WATTAGE 8W x 6, 48W MAX
VOLTAGE 120V



CD10263/9/BB+MW
CD10430/9/MBK+AGB
CD10035/9/MBK+MW
CD10262/9/S+MW

G9 Bi-Pin, LED
8W x 9, 72W MAX
120V



CD10431/12/BB+MW
CD10432/12/MBK+AGB
CD10433/12/MBK+MW
CD10434/12/S+MW

G9 Bi-Pin, LED
8W x 12, 96W MAX
120V



CD10432/12/MBK+AGB

BLOSSOM

Two toned floral metal petals designed as a blossoming flower with 3 sizes and 4 finish combinations available, equipped with 60" of suspension aircraft cable and clear SVT wire.

INDEX

P11802/LED-24/PN	5	PL11905/LED-60/AGB	16
CD11810/LED-T2-44/AGB	6	PL11906/LED-60/MW	16
CD11806/LED-32/SBB	6	PL11907/LED-60/SB	16
CD11809/LED-44/SBB	6	PL11908/LED-60/PN	16
VL11819/LED-45/AGB	7	P11911/LED-30/SB	16
VL11817/LED-38/PN	7	P11909/LED-30/AGB	16
VL11815/LED-26/SBB	7	P11910/LED-30/MW	16
PL11355/LED-7/2x2/SBB	9	P11911/LED-30/SB	16
PL11356/LED-12/2x2/AGB	9	P11912/LED-30/PN	16
EP11371/LED-1/SBB+AGB	10	EW11939/LED-72/SB	17
EW11363/LED-4/2x2/SBB	11	EW11935/LED-46/SB	17
EBP11364/LED-2/2x2/SBB	11	EW11929/LED-38/AGB	17
EP11362/LED-2/2x2/SBB	11	EW11928/LED-30/PN	17
DL11365/LED-1/2x2/AGB	12	EW11922/LED-24/MW	17
DL11370/LED-1/3x3/SBB	12	EW11920/LED-18/PN	17
CD11425/LED-7/AGB	13	EW11915/LED-6/SB	17
CD11425/LED-7/AGB	13	EW11925/LED-30/AGB	17
CD11426/LED-7/PN	13	EW11926/LED-30/MW	17
CD11427/LED-7/SBB	13	EW11927/LED-30/SB	17
PL11420/LED-8/PN	14	EW11928/LED-30/PN	17
PL11419/LED-8/AGB	14	EW11913/LED-6/AGB	17
PL11420/LED-8/PN	14	EW11914/LED-6/MW	17
PL11421/LED-8/SBB	14	EW11915/LED-6/SB	17
PL11413/LED-10/AGB	14	EW11916/LED-6/PN	17
PL11414/LED-10/PN	14	EW11929/LED-38/AGB	17
PL11415/LED-10/SBB	14	EW11930/LED-38/MW	17
PL11424/LED-12/SBB	14	EW11931/LED-38/SB	17
PL11413/LED-10/AGB	14	EW11932/LED-38/PN	17
PL11422/LED-12/AGB	14	EW11917/LED-18/AGB	17
PL11423/LED-12/PN	14	EW11918/LED-18/MW	17
PL11424/LED-12/SBB	14	EW11919/LED-18/SB	17
VL11437/LED-5/AGB	15	EW11920/LED-18/PN	17
VL11436/LED-4/SBB	15	EW11933/LED-46/AGB	17
VL11432/LED-3/PN	15	EW11934/LED-46/MW	17
VL11428/LED-1/AGB	15	EW11935/LED-46/SB	17
VL11429/LED-1/PN	15	EW11936/LED-46/PN	17
VL11430/LED-1/SBB	15	EW11921/LED-24/AGB	17
VL11431/LED-3/AGB	15	EW11922/LED-24/MW	17
VL11432/LED-3/PN	15	EW11923/LED-24/SB	17
VL11433/LED-3/SBB	15	EW11924/LED-24/PN	17
VL11428/LED-1/AGB	15	EW11937/LED-72/AGB	17
VL11437/LED-5/AGB	15	EW11938/LED-72/MW	17
VL11438/LED-5/PN	15	EW11939/LED-72/SB	17
VL11439/LED-5/SBB	15	EW11940/LED-72/PN	17
PL11901/LED-48/AGB	16	CD11622/LED-3/32/AGB	18
PL11907/LED-60/SB	16	CD11608/LED-3/25/TMBK	18
PL11901/LED-48/AGB	16	CD10035/9/MBK+MW	19
PL11902/LED-48/MW	16	P30086/6/BB+MW	19
PL11903/LED-48/SB	16	CD10432/12/MBK+AGB	19
PL11904/LED-48/PN	16		



ZEEV
L I G H T I N G

VOLUME X

6531 U.S. 9,
Howell, NJ 07731

P: 929-333-9777
F: 929-333-9778

sales@zeevlighting.com

Dallas Trade Mart
Showroom #4303

www.zeevlighting.com