




L I G H T I N G

ASSEMBLY AND INSTALLATION INSTRUCTIONS

ITEM NO.: WS70048/2/AGB
WS70051/2/PN




FOR YOUR SAFETY

WARNING:BE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF:ETHER THE FUSE IS REMOVED OR THE CIRCUIT BREAKER IS SHUT OFF.

CAUTION: THE PRODUCT SHOULD BE INSTALLED BY A QULIFID ELECTRICAN THAT IS AWARE OF THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.

STEP 1:

Secure the mounting plate(B) tight onto outlet box (C not included) with 2pcs screws(A).





STEP 2:

Wrap the Ground Wire from the fixture around the ground screw on the mounting plate.


Connect the white wire from the fixture to white wire(Neutral wire) from outlet box with wire connector.

Connect the black wire from the fixture to black wire(Live wire) from outlet box with wire connector.




STEP 3:

Fix fixture body(E) onto the mounting plate(B) with 2pcs screws(D).




STEP 4:

Assemble 2pcs E12 bulbs (F not included,MAX 60W) into the socket(H).




STEP 5:

Assembling the glass bars(G) according to below number showed/layout.



Insert the glass bars into the fixture body(E)
as per below number showed/layout
(A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P,
Q).



Glass bar
number showed/layout

STEP 6:

Connect breaker and turn on Light.

Cleaning & Care:

To clean, wipe the Fixture with a soft, dry cloth.
Avoid the use of harsh or abrasive chemicals
as they may damage the finish.

